


United States Testing Company, Inc.
Richland Division

2800 GEORGE WASHINGTON WAY
RICHLAND, WASHINGTON 99352 (509) 375-3131



LABORATORY SERVICES
RADIOCHEMISTRY
EXTERNAL DOSIMETRY
NUCLEAR SERVICES
RADIOBIOASSAY
AGRICULTURAL SERVICE
ANALYTICAL CHEMISTRY
POLLUTION CONTROL
HAZARDOUS SUBSTANCE
ANALYSIS

February 16, 1988

WA 6906
2-16-88
66

Pacific Wood Treating Corp.
Attention: Bryant Adams
111 West Division St.
Ridgefield, WA 98642

Dear Mr. Adams:

Enclosed are the gross alpha and gross beta results on the water sample which was submitted to our laboratory for analysis.

If you have any questions or comments, please call me at (509) 375-3131/

Sincerely,

UNITED STATES TESTING COMPANY, INC.

Robert G. Swoboda
Manager
Environmental Radiochemistry

RGS:dal

Enclosure

xc: File



CHAIN OF CUSTODY RECORD

6 / SAMPLING - Chain of Custody

Distribution: Original Accompanies Shipment; Copy to Coordinator of Field Files

COLUMBIA ANALYTICAL SERVICES, INC.
1152 3RD AVE. LONGVIEW, WA 98632
(206) 577-7222

CLIENT: Pacific Wood Treating
--Bryant Adams
PROJECT: Ridgefield RBT Site

March 9, 1988
WORK ORDER #: 88075

Analytical Results
ug/L
Pesticides/Herbicides

Sample Name:	B-5	T-8
Lab Code:	075-1	075-2
Gamma-BHC (Lindane)	<0.2	<0.2
Endrin	<0.8	<0.8
Methoxychlor	<1	<1
Toxaphene	<2	<2
2,4-D	<10	<10
Silvex	<2	<2

Approved by:

Mike Shelton

Date: *3/9/88*